

AirBorn

Document Number	ESG6017	Current Rev	H
Document Description	PROHIBITED MATERIALS- FOR INTERNAL/SUPPLIER USE	Pages	1 of 3
Application ALL SERIES		Code Identification 10400	

Approvals	Name	Date
Created By	J. KAPLAN	1/27/2005
Checked By	J. KAPLAN	1/27/2005
Approved By	J. KAPLAN	1/27/2005
Released By	S. RODRIGUEZ	2/3/2005

Revision Changes								
Rev	EC Number	Sub By/Date	App By/Date		Rev	EC Number	Sub By/Date	App By/Date
B	ECN 41967	JK 04/14/05	JK 04/14/05					
C	ECN 60775	JK 02/23/06	JK 02/23/06					
D	ECN 75629	JK 12/15/06	JK 12/15/06					
E	ECN 84090	JK 05/25/07	JK 05/25/07					
F	ECN 92395	KT 11/10/07	KT 11/10/07					
G	ECN W04237	SR 10/12/09	SR 10/12/09					
H	ECN W07410	SR 09/09/10	SR 09/09/10					

**WARNING: THIS TECHNICAL DATA IS SUBJECT TO
EAA AND EAR CONTROLS**

This technical data is on the US Export Administration Regulations (“EAR”) Commerce Control List and shall not be Exported, released or disclosed to foreign persons (i.e., foreign companies, persons who are not U.S. citizens or permanent resident aliens [“green card” holders] inside or outside the United States except in accordance with the EAR. Diversion contrary to U. S. law is prohibited.

REVISIONS TO THIS DOCUMENT REQUIRE CHANGES TO THE GLOVIA PURCHASE ORDER FORM

Prohibited Materials –for Internal/Supplier Use

The following substances are Prohibited from all materials supplied to AirBorn, unless otherwise identified by exception:

PART 1: From Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS):

- Lead (Pb) in excess of 1000 ppm on any homogeneous material including plating
 - Exceptions
 - Alloying element in steel containing up to 0.35% lead by weight
 - Aluminum containing up to 0.4% lead by weight
 - Copper alloy containing up to 4% lead by weight
 - Lead in high melting temperature type solders (i.e. tin-lead solder alloys containing more than 85% lead)
 - Lead in glass of electronic components
 - Lead in electronic ceramic parts (e.g. piezoelectronic devices)
 - Lead in tin plated bus wire specified by AirBorn by industry specification. This is an AirBorn specific exception.
 - Lead in planar filters. This is an AirBorn specific exception.
 - Lead in solder bars, solder wire, and solder paste when specified by AirBorn
 - Lead in tin/lead plating when specified by AirBorn.
- Mercury in excess of 1000 ppm on any homogeneous material including plating
- Cadmium in excess of 100 ppm on any homogeneous material including plating
 - Exceptions
 - Cadmium plating specified by Airborn
 - SAE AS 22759/33 wire
 - 04047 and 04036 wire
- Hexavalent Chromium in excess of 1000 ppm on any homogeneous material including plating
 - Exception is made for Cadmium plating specified by Airborn that requires chromate
 - Exception is made for supplementary tarnish resistance treatment over silver plating when specified by AirBorn.

- Polybrominated Biphenyls (PBB) in excess of 1000 ppm on any homogeneous material
- Polybrominated Diphenyl Ethers (PBDE) in excess of 1000 ppm on any homogeneous material

PART 2: From a general industry concern about tin whisker growth:

- Pure Tin on any Purchased Item or Component of a Purchased Item, including plating, composed of more than 97% tin by weight is prohibited.
 - Exceptions
 - Pure tin plate bus wire specified by AirBorn by industry specification (for use on RoHS compliant product only)
 - Braided Shield ordered to AA 55969 or QQ-B-575.

Statement of Compliance to ESG6017 is required.

- Exceptions:
 - When items such as screw machine, CNC, or stamped parts are purchased to an AirBorn part number, AirBorn will accept compliant raw material certifications without a compliance statement to ESG6017 provided the following conditions are met:
 - The raw material is specified by AirBorn, AND
 - The raw material composition is controlled by an industry specification, AND
 - The purchased part is made from a single homogeneous material.
 - Tools and core pins.
 - Consigned material.
 - MRO Materials- Maintenance, Repair, and Operating supplies.

H